

MULTIPLE DISPLAY EXTENDED GRAPHIC MDEG Splitters

Designed for cube Walls

Magnifications

All formats from 1x1 up to 16x16

Inputs

Up to 64 inputs
Up to 4 simultaneous displayed inputs
Up to 8 simultaneous inputs with MDEG +
Intelligent input interpolation

Video

CVBS PAL / SECAM / NTSC
Y/C PAL / SECAM / NTSC

Graphic

VGA / SVGA / XGA
SXGA with MDEG +

User Defined

Up to 1024 x 768 pixels
Up to 1280 x 1024 pixels with MDEG +

Gen Lock

External video Gen Lock

Remote Control

RS 232 C
Fast Parallel input

Outputs

3 Outputs per output board
Intelligent output interpolation

Video

50 Hz / 60 Hz
100 Hz / 120 Hz

Graphic

VGA / SVGA
User defined up to 800 x 600 pixels

Plasma

852 x 480 pixels / 60 Hz

MDEG SPLITTER SPECIFICATION Continued

<i>Remote Control</i>	Remote control RS 232 for cubes
<i>Effects</i>	Multi sources Multi Windows effects Progressive intelligent Zoom Strech / Crop Standard screen by screen effects All effects are available screen by screen Each screen can be placed at pixel precision
<i>Software</i>	PC Windows 95-98 based Self running mode
<i>Cabinet</i>	19 inches 4 U Front face Keypad included Front face LCD Display included
<i>Options</i>	Digital link for large configurations SDI inputs

For improvement purposes, the prices, specifications and design may be changed without notice

TYPICAL ARCHITECTURE FOR CONTROM ROOM

